

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	miss\$3 near4 (FIFO or queue\$3) near4 pipelin\$3 near4 latenc\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/17 11:44
L2	1	(miss\$3 near4 (FIFO or queue\$3)) with pipelin\$3 with latenc\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/17 11:46
L3	7	(miss\$3 near4 (FIFO or queue\$3)) same (pipelin\$3 with latenc\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/17 12:32
L4	12	(miss\$3 with (FIFO or queue\$3)) same (pipelin\$3 with latenc\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/17 12:37
L5	25	(miss\$3 with (FIFO or queue\$3)) same (pipelin\$3 with (latenc\$3 or delay\$3 or length\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/17 12:55
L6	0	(?thread\$3 with miss\$3 with (buffer\$3 or cach\$3)) same (pipelin\$3 with (latenc\$3 or delay\$3 or length\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/17 12:56
L7	0	(?thread\$3 with miss\$3) same (pipelin\$3 with (latenc\$3 or delay\$3 or length\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/17 12:56
L8	17	(multi?thread\$3 with miss\$3) same (pipelin\$3 with (latenc\$3 or delay\$3 or length\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/17 14:10
L9	17	(multi?thread\$3 with switch\$3 with (cach\$3 or buffer\$3 or queue\$3 or FIFO)) same (pipelin\$3 with (latenc\$3 or delay\$3 or length\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/17 14:10
L10	23	(FIFO or queue) near4 (pipelin\$3 near4 (latenc\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/17 14:54
L11	35	(context near4 switch\$3) with pipelin\$3 with (latenc\$3 or delay\$3 or length\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/17 14:57

EAST Search History

L12	1	(context near4 switch\$3) same (miss near4 buffer\$3) same (pipelin\$3 near4 (latenc\$3 or delay\$3 or length\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/17 14:58
L13	0	((context near4 switch\$3) same (miss near4 buffer\$3) same (pipelin\$3 near4 (latenc\$3 or delay\$3 or length\$3))).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/10/17 14:58
L14	0	((context near4 switch\$3) same (miss near4 buffer\$3) same (pipelin\$3 near4 (latenc\$3 or delay\$3 or length\$3))).clm.	US-PGPUB; USPAT	OR	OFF	2007/10/17 14:58
L15	0	((context with switch\$3) same (miss with buffer\$3) same (pipelin\$3 with (latenc\$3 or delay\$3 or length\$3))).clm.	US-PGPUB; USPAT	OR	OFF	2007/10/17 14:59
L16	0	((context with switch\$3) same (miss) same (pipelin\$3 with (latenc\$3 or delay\$3 or length\$3))).clm.	US-PGPUB; USPAT	OR	OFF	2007/10/17 14:59
L17	0	((context with switch\$3) same (miss\$3) same (pipelin\$3 with (latenc\$3 or delay\$3 or length\$3))).clm.	US-PGPUB; USPAT	OR	OFF	2007/10/17 14:59
L18	0	((context same switch\$3) same (miss\$3) same (pipelin\$3 same (latenc\$3 or delay\$3 or length\$3))).clm.	US-PGPUB; USPAT	OR	OFF	2007/10/17 14:59
L19	1	((context same switch\$3) and (miss\$3) and (pipelin\$3 same (latenc\$3 or delay\$3 or length\$3))).clm.	US-PGPUB; USPAT	OR	OFF	2007/10/17 15:00
L20	1	((switch\$3) and (miss\$3) and (pipelin\$3 same (latenc\$3 or delay\$3 or length\$3))).clm.	US-PGPUB; USPAT	OR	OFF	2007/10/17 15:00
L21	8	((switch\$3) and (miss\$3) and (pipelin\$3 and (latenc\$3 or delay\$3 or length\$3))).clm.	US-PGPUB; USPAT	OR	OFF	2007/10/17 15:00
S1	116	(round?robin) near4 (buffer)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/29 09:57
S2	5	(round?robin) near4 (buffer) near4 schedul\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/29 09:57

EAST Search History

S3	0	(tree adj1 engine) near4 pars\$3 near4 (data near4 protocol)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/29 11:17
S4	0	(tree) near4 pars\$3 near4 (data near4 protocol)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/29 11:18
S5	1	(tree adj1 engine\$1) near4 (pars\$3 near4 data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/29 11:18
S6	1	(tree adj1 engine\$1) with (pars\$3 near4 data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/29 11:18
S7	1	(tree adj1 engine\$1) same (pars\$3 near4 data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/29 11:19
S8	145	(pars\$3 near4 data) near4 protocol	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/29 11:20
S9	0	(pars\$3 near4 data) near4 protocol near4 thread\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/29 11:21
S10	0	(pars\$3 near4 data) near4 protocol near4 (RAM and cache)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/29 11:22
S11	20	(pars\$3 adj1 data) near4 protocol	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/29 11:35
S12	24	pars\$3 with tree with protocol	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/29 11:36
S13	174	(712/206).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/10/17 11:43

EAST Search History

S14	446	(712/215).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/10 13:29
S15	478	(712/228).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/10 13:29
S16	4	switch\$3 near4 thread\$3 near4 (long?latency adj1 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/27 15:46
S17	4	(switch\$3 near4 thread\$3) with (long?latency adj1 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/27 16:02
S18	4	(switch\$3 near4 thread\$3) with (long adj1 latency adj1 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/27 16:09
S19	6	(switch\$3 near4 thread\$3) same (long adj1 latency adj1 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/27 16:11
S20	2	(context adj1 switch\$3) same (long adj1 latency adj1 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/27 16:12
S21	2	(context adj1 switch\$3) same ((long adj1 latency) near4 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/27 16:22
S22	1	(context adj1 switch\$3) with ((long adj1 latency) near4 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/27 16:22
S23	3	(context adj1 switch\$3) same (prevent\$3 near4 thread\$3 near4 execut\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/27 16:23
S24	5	(switch\$3 near4 thread\$3) same (prevent\$3 near4 thread\$3 near4 execut\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/27 16:24

EAST Search History

S25	11	(switch\$3 near4 thread\$3) same (prevent\$3 near4 execut\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/27 16:25
S26	70	(switch\$3 near4 thread\$3) same (long near4 latenc\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/27 16:26
S27	39	(switch\$3 near4 thread\$3) near4 (long near4 latenc\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/27 16:26
S28	1351	switch\$3 near4 FIFO	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/28 14:07
S29	1	(thread near4 switch\$3) near4 FIFO	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/28 14:08
S30	0	(thread near4 switch\$3) with (pipeline near4 FIFO)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/28 14:08
S31	0	(thread near4 switch\$3) same (pipeline near4 FIFO)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/28 14:08
S32	106	(thread near4 switch\$3) same pipeline\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/28 14:11
S33	54	(thread near4 switch\$3) with pipeline\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/28 14:12
S34	3	(thread near4 switch\$3) near4 (round adj1 robin)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/28 14:18
S35	9	(thread near4 switch\$3) with (round adj1 robin)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/28 14:19
S36	181	(712/206).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/29 09:40

EAST Search History

S37	461	(712/215).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/29 09:40
S38	514	(712/228).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/29 09:40
S39	189	(712/206).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 15:59
S40	474	(712/215).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 15:59
S41	548	(712/228).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 16:10
S42	463	(round adj1 robin) near4 (queues)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 16:11
S43	0	(round adj1 robin) near4 (((block\$2 or wait\$3) and ready) near4 queues)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 16:11
S44	3	(round adj1 robin) near4 ((ready) near4 queues)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 16:12
S45	3	(multi?thread\$3 or thread\$3) near4 (round adj1 robin) near4 queues	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 16:13
S46	19	(multi?thread\$3 or thread\$3) with (round adj1 robin) with queues	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/29 16:13
S47	0	(multi?thread\$3 or thread\$3) with (round adj1 robin) with (ready near4 (queue or buffer or cache))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 16:20

EAST Search History

S48	0	(multi?thread\$3 or thread\$3) with (round adj1 robin) with (ready near4 (queue or buffer or cache or FIFO))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 16:20
S49	4	(multi?thread\$3 or thread\$3) with (round adj1 robin) with ((block\$3 or wait\$3) near4 (queue or buffer or cache or FIFO))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 16:45
S50	28	(multi?thread\$3 or thread\$3) same (round adj1 robin) same ((block\$3 or wait\$3) near4 (queue or buffer or cache or FIFO))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 16:45
S51	4	(miss near4 buffer\$3) near4 (FIFO or (first adj1 in adj1 first adj1 out))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/29 16:12
S52	283	(multi?thread\$3 or thread\$3) with (round adj1 robin)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/29 16:13
S53	12	(multi?thread\$3) with (round adj1 robin)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/29 16:15
S54	37	(multithread\$3) with (round adj1 robin)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/29 16:13
S55	46	(round adj1 robin) near4 (wait\$3 or block\$3) near4 (queue\$1 or buffer\$1 or cache\$1 or (FIFO or (first adj1 in adj1 first adj1 out)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/29 16:17
S56	4	((round adj1 robin) near4 (wait\$3 or block\$3) near4 (queue\$1 or buffer\$1 or cache\$1 or (FIFO or (first adj1 in adj1 first adj1 out)))) and (multi?thread\$3 or multithread\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/29 16:46
S57	0	((round adj1 robin) near4 (sleep) near4 (queue\$1 or buffer\$1 or cache\$1 or (FIFO or (first adj1 in adj1 first adj1 out)))) and (multi?thread\$3 or multithread\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/29 16:47
S58	0	((round adj1 robin) with ((sleep) near4 (queue))) and (multi?thread\$3 or multithread\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/29 16:47

EAST Search History

S59	23	((round adj1 robin) same ((sleep) near4 (queue))) and (multi?thread\$3 or multithread\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/29 16:47
S60	196	(712/206).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/10 13:29
S61	484	(712/215).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/13 17:46
S62	586	(712/228).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/13 17:46
S63	201	(712/206).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/31 11:15
S64	498	(712/215).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/31 11:15
S65	612	(712/228).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/31 11:15
S66	211	(712/206).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/01/20 13:41
S67	517	(712/215).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/01/20 13:41
S68	649	(712/228).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/01/20 13:51

EAST Search History

S69	11	(fine\$3 near4 multithread\$3) with pipelin\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/20 14:06
S70	32	(fine\$3 with multithread\$3) with pipelin\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/20 14:26
S71	0	((interleav\$3 with multithread\$3) with pipelin\$3) with schedul\$3 with (queue\$1 or fifo\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/20 14:51
S72	0	((interleav\$3 with multithread\$3) with pipelin\$3) with (queue\$1 or fifo\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/20 14:51
S73	0	((interleav\$3 with multithread\$3) with pipelin\$3) same (queue\$1 or fifo\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/20 14:51
S74	12	((interleav\$3 with multithread\$3) with pipelin\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/20 15:17
S75	6	(multithread\$3 with pipelin\$3) with (queue\$1 or fifo\$1 or list\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/20 15:48
S76	1	("5933627").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/02/05 07:25
S77	213	(712/206).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/05/10 13:30
S78	522	(712/215).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/05/10 13:30
S79	684	(712/228).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/05/10 13:30
S80	38	(thread near4 switch\$3) near4 (FIFO or queue\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/10 13:30
S81	79	(FIFO or queue) near4 (pipelin\$3 near4 (latenc\$3 or tim\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/10 14:43

EAST Search History

S82	20	(FIFO or queue) near4 (pipelin\$3 near4 (latenc\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/10 14:57
S83	44	(FIFO or queue) with (pipelin\$3 near4 (latenc\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/10 15:23
S84	99	(FIFO or queue) with (pipelin\$3 with (latenc\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/10 15:23
S85	8	((bennett-victor\$) and (mcgee-sean\$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/14 09:03
S86	219	(712/206).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/10/16 14:39
S87	535	(712/215).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/10/16 14:39
S88	708	(712/228).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/10/16 14:39